

# MATERIAL SAFETY DATA SHEET

## EasyBoard

### HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

### 1. Product And Company Identification

#### Supplier

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Manufacturer

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA  
Telephone Number: (562) 968-2980 Ext 103  
FAX Number: (562) 903-2697  
E-Mail: georgem@cbpmail.net  
Web Site: www.custombuildingproducts.com

#### Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

#### Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Issue Date: 10/10/2007

Product Name: EasyBoard  
Chemical Name: Polyurethane foam  
CAS Number: Not Established  
MSDS Number: 1013  
Product Code: JM

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
COATED GLASS MAT	Not Establ.	
CONTINUOUS FILAMENT GLASS FIBERS	Not Establ.	
ISOPENTANE	78-78-4	
METHYLENE BIS(PHENYLISOCYANATE)MBI orMDI	101-68-8	
PENTANE	109-66-0	
POLYISOCYANURATE FOAM	Not Establ.	
POLYMERIC COLORANT BLEND	Not Establ.	

### 3. Hazards Identification

#### Primary Routes(s) Of Entry

Inhalation, Skin Contact, Eye Contact, Ingestion

#### Eye Hazards

May cause temporary eye irritation.

#### Skin Hazards

May cause temporary irritation.

# MATERIAL SAFETY DATA SHEET

## EasyBoard

### 3. Hazards Identification - Continued

#### Ingestion Hazards

May cause temporary gastronomic track irritation.

#### Inhalation Hazards

May cause temporary upper respiratory tract irritation - scratchy throat, coughing and congestion.

#### Chronic/Carcinogenicity Effects

Components:

Continuous filament glass:

ACGIH: A4 - Not classifiable as Human Carcinogen

IARC: Group 3 - Not classifiable

Methylene bis(polyisocyanate) (MBI or MDI)

IARC: Group 3 - Not classifiable

#### Conditions Aggravated By Exposure

Pre-existing chronic respiratory, skin or eye diseases or conditions.

Wash hands before eating or using restroom.

### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

#### Skin

Wash skin with soap and plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

#### Ingestion

Get medical attention immediately.

#### Inhalation

If inhaled, remove to fresh air. Consult a physician immediately if irritation persists. Do not give an unconscious person anything to drink.

#### Note To Physician

Mechanical irritant.

### 5. Fire Fighting Measures

**Flash Point:** N/A °F

**Flash Point Method:** N/A

**Lower Explosive Limit:** N/A

**Upper Explosive Limit:** N/A

#### Fire And Explosion Hazards

Product is combustible. Burning will create thick, black smoke.

#### Extinguishing Media

Dry Chemical, CO<sub>2</sub>, Foam, Water

#### Fire Fighting Instructions

Avoid breathing vapors, gases and fumes. Firefighters should wear self-contained breathing apparatus and full protective gear.

### 6. Accidental Release Measures

Sweep up. Vacuum dust. If sweeping - use water as dust suppressant. Use appropriate personal protective equipment.

# MATERIAL SAFETY DATA SHEET

## EasyBoard

### 7. Handling And Storage

#### Handling And Storage Precautions

Use with adequate ventilation.

#### Handling Precautions

Avoid creating and breathing dust. Avoid contact with skin and eyes.

#### Storage Precautions

Keep dry until ready to use.

#### Work/Hygienic Practices

Use good personal hygiene. Wash with soap and water after handling.

### 8. Exposure Controls/Personal Protection

#### Engineering Controls

Use with adequate ventilation.

#### Eye/Face Protection

Safety glasses with side shields. Use ear plugs to protect ears from airborne dust from entering the ears.

#### Skin Protection

Leather or cotton gloves. Barrier creams. Wear long sleeved shirts, long pants and caps to protect skin from irritation.

#### Respiratory Protection

Provide adequate exhaust in areas where cutting occurs. In case of inadequate ventilation and when exposed to dust above the recommended limits, wear a suitable NIOSH-approved respirator.

#### Other/General Protection

Wash clothing separately from other laundry to prevent transfer of fibers.

#### Ingredient(s) - Exposure Limits

COATED GLASS MAT

Nuisance dust

Respirable fraction - 5mg/m<sup>3</sup>

Total dust 15 mg /m<sup>3</sup>

CONTINUOUS FILAMENT GLASS FIBERS

Nuisance dust

Respirable portion - 5mg/m<sup>3</sup>

Total dust - 15 mg/m<sup>3</sup>

ISOPENTANE

ACGIH TLV-TWA 600 ppm

METHYLENE BIS(PHENYLISOCYANATE) MBI or MDI

ACGIH TWA - 0.005 ppm

OSHA - 0.02 ppm Ceiling

OSHA - 0.2 mg /m<sup>3</sup> Ceiling

PENTANE

ACGIH TLV-TWA 600 ppm

OSHA PEL-TWA 1,000 ppm

### 9. Physical And Chemical Properties

#### Appearance

Yellow to tan foam.

#### Odor

Mild

**Chemical Type:** Mixture

# MATERIAL SAFETY DATA SHEET

## EasyBoard

### 9. Physical And Chemical Properties - Continued

#### Odor - Continued

**Physical State:** Solid

**Percent VOCs:** Negligible

**Solubility:** Negligible

### 10. Stability And Reactivity

**Stability:** STABLE

**Hazardous Polymerization:** WILL NOT OCCUR.

#### Conditions To Avoid (Stability)

Avoid heat, sparks, flame.

#### Incompatible Materials

Acetone, methyl ethyl ketone, tetrahydrofuran, hydrogen peroxide, ethylene dichloride, dimethyl sulfoxide, dimethyl formamide.

#### Hazardous Decomposition Products

Carbon monoxide and dioxide, traces of hydrogen cyanide

Stable

### 11. Toxicological Information

#### Chronic/Carcinogenicity

Components:

Continuous filament glass:

ACGIH: A4 - Not classifiable as Human Carcinogen

IARC: Group 3 - Not classifiable

Methylene bis(polyisocyanate) (MBI or MDI)

IARC: Group3 - Not classifiable

#### Conditions Aggravated By Exposure

Pre-existing chronic respiratory, skin or eye diseases or conditions.

#### Ingredient(s) - Toxicological Data

ISOPENTANE

Inhalation LC 50 = 280000 mg/m<sup>3</sup> / 4 H

METHYLENE BIS(PHENYLISOCYANATE) MBI or MDI

Oral LD 50 = 9200 mg / kg - rat

### 12. Ecological Information

No Data Available...

### 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

#### RCRA Information

Not considered RCRA Hazardous Waste.

### 14. Transport Information

#### DOT Shipping Label

NOT REGULATED

### 15. Regulatory Information

No Data Available...

# MATERIAL SAFETY DATA SHEET

## EasyBoard

### 15. Regulatory Information - Continued

#### Ingredient(s) - State Regulations

##### ISOPENTANE

- New Jersey - Workplace Hazard
- New Jersey - Environmental Hazard
- New Jersey - Special Hazard
- Pennsylvania - Workplace Hazard
- Massachusetts - Hazardous Substance
- New York City - Hazardous Substance

##### METHYLENE BIS(PHENYLISOCYANATE) MBI or MDI

- New Jersey - Workplace Hazard
- Pennsylvania - Workplace Hazard
- California - Proposition 65
- Massachusetts - Hazardous Substance

##### PENTANE

- New Jersey - Workplace Hazard
- New Jersey - Environmental Hazard
- New Jersey - Special Hazard
- Pennsylvania - Workplace Hazard
- Massachusetts - Hazardous Substance
- New York City - Hazardous Substance

### 16. Other Information

#### HMIS Rating

Health: 1

Fire: 0

Reactivity: 0

Personal Protection: B

#### Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (562) 968-2980 ext 103

This MSDS Supersedes A Previous MSDS Dated: 12/14/2006

#### Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

CUSTOM BUILDING PRODUCTS